



Easy-S


Sliding doors

STAINO & STAINO
Doors and systems for interiors


INDEX

Introduction to Extralight doors04


External sliding Extralight doors06




Internal sliding Extralight doors08



Extralight pivot doors10



Extralight hinged doors12




Extralight 20.2014

Extralight 40.2016

Extralight Wall & Factory18-21

24-27Photos of our customers

28-51Data sheet | doors



porte scorrevoli
aperture scorrevoli
porte battenti
porte a bilico

38-41Data sheet | handles

rectangular handles MA17
handles for sliding doors MA09
optional handles

42-45Dseigns for glazed glasses

46-47Dseigns for varnished glasses

48-49Aluminium profile&glasses finishes

50-51Varnished glasses&mirrors finishes

EXTRALIGHT 40.20
PA09 | clear glass CR01 | MA09


DOOR extralight

EXTRALIGHT is one of the most representative collections of STAINO & STAINO, with a frontal dimension of the perimeter profile of just 25 mm, it maintains the possibility of building very large doors (L 150 x 300 cm H). The result is a minimal sliding door in which the perimeter frame leaves the glass protagonist. The Extralight sliding doors can be coordinated with the swing versions, which can also be made at full height, to maintain aesthetic continuity even in the case of different types of door in the same environment.

The formal cleanliness of the Extralight doors can be enriched thanks to the special versions with crosspieces, in the 40.20, 20.20, Factory and Wall models. The horizontal crossbars of 10 or 20 mm can also be positioned according to the customer's design.

The Extralight system, as usual for STAINO & STAINO products, can be customized in all its aspects: in the finishing of the profiles, glass and dimensions.

SLIDING EXTRALIGHT 40.20




The Extralight door in the 40.20 version is characterized by 20 mm cross-pieces interspersed with a 40 mm high glass strip.

The customer can choose both the profile finish and the glass finish, while the guides can be produced on sight, hidden or recessed.

It is possible to communicate with our technicians to evaluate all the design opportunities and create the solution that best suits the customer's needs.




EXTRALIGHT 40.20
PA09 | clear glass CR01 | MA09



EXTRALIGHT FOR BOXES FLUSH TO THE WALL

The internal wall sliding Extralight door can be prepared for insertion into classic sliding boxes of any brand, the door is equipped with a frame and casing in extruded aluminum.
The aluminum casings are available in a wide range of finishes, or they can be made in a sample opaque color.




EXTRALIGHT
PA01 | clear glass CR01 | MA17



EASY-S PIVOT

The Extralight door is also available in the hinged version. Like the sliding version, it guarantees total design freedom, with the possibility of having the doors aligned regardless of the opening direction.

In the photo, the pivoting Extralight door with sandblasted glass decorated for a living / kitchen area.



EXTRALIGHT
PA02 | clear fumé glass CR05 | QUADRA




HINGED EXTRALIGHT


The Extralight door is also available in the hinged version. Like the sliding version, it guarantees total design freedom, with the possibility of having the doors aligned regardless of the opening direction.

In the photo, the Extralight hinged door with sandblasted glass decorated for a living / kitchen area.

Pull version




Push version



EXTRALIGHT 20.20

The 20.20 version of Extralight door has 20 mm vertical crosspieces set 20 mm from one to another.




EXTRALIGHT 20.20
PA09 | clear glass CR01 | MA09



EXTRALIGHT 40.20

The 40.20 version of the Extralight door is characterized by 20 mm horizontal bars spaced out by 40 mm.




EXTRALIGHT 40.20
PA10 | clear glass CR01 | MA09



EXTRALIGHT WALL


The Wall version of Extralight, with 20 mm horizontal crosspieces and 10 mm vertical bars, is the result of a bricklike composition proportioned to the size of the door..



EXTRALIGHT WALL
PA05 | clear glass CR01 | MA09

EXTRALIGHT FACTORY

In the Factory version, the 20 mm horizontal crosspieces are set 240 mm apart. The vertical crosspieces are 10 mm in width and separate the panel into two or three columns, depending on the size of the door.



EXTRALIGHT WITH COSTUM DÉCOR

Varnished glass with digitally printed costum DV décor. Clients may supply the image they prefer to personalize their door.

EXTRALIGHT
PA01 | varnished glass with costumized DV decoration | MA09

PHOTOS FROM OUR CUSTOMERS

Some photos taken by our customers.

EXTRALIGHT
PA01 | glazed glass with DV decoration | MA06

TUSCANY HOME

Pivot and sliding doors from the Extralight collection made with sandblasted extra-clear glass with DS01 decoration, for a solution in the name of aesthetic continuity.

Handle in satin stainless steel with square section h 140 cm.



SEE THE PROJECT

click on our link, you will be redirected to the stainoestaino.it site





EXTRALIGHT
PA01 | varnished glass CL03 | MA05

DOUBLE DOOR EXTRALIGHT

Handle

Extralight double-leaf swing door with aluminum profile and casing.

The glass is white lacquered and the handle is type MA05 h56 cm with aluminum finish of the same type used for the profiles.



SEE THE PROJECT

click on our link, you will be redirected to the stainoestaino.it site







DATA SHEETS

collections

SLIDING COLLECTION




SLIDING OPENINGS*





Sliding door with single track, wall or ceiling attachment. Also available in built-in version.




Beams with valance






Adjustable recessed beams




Double-leaf door, two-way sliding beam with ceiling attachment. Also available in built-in version.






Three-leaf door, three-way sliding beam with ceiling attachment. Also available in built-in version.



Three-leaf door with two-way sliding beam with ceiling attachment. Also available in built-in version.



Four-leaf door, two-way sliding beam with ceiling attachment. Also available in built-in version.



Four-leaf door, four-way sliding beam with ceiling attachment. Also available in built-in version.



* examples of sliding openings based on the number of doors. It is possible, on request, to create other types of opening.

VETRI VERNICIATI E SPECCHI:


CR01	Laminated glass 6/7 mm
CR03	Laminated white milk 6/7 mm
CR05	Laminated clear fumé 6/7 mm
CR02	Laminated neutral frosted glass 6/7 mm
CR09	Transparent bronze tempered 6 mm
SP01, 02, 03	Silver/bronze/fumé mirror 2 sides
CR06,07,08	Tempered frosted glass 6 mm fumé/extrawhite/bronze
CR10	Tempered reflective fumé clear glass 6 mm
DS, DSC	Laminated neutral sandblasted glass 6/7 mm, with decoration
DS, DSC	Extra clear sandblasted glass 6 mm, with decoration
DV	4+4 mm extra-clear glass with decoration and opaque lacquering on two sides

VS01	6mm transparent tempered glass with «cannellé» engraved decoration
VS02	4 + 4 mm transparent glass consisting of a glass with engraved «cannellé» decoration and a smooth glass with a choice of neutral/fumé/bronze finish
VS03	4 + 4 mm frosted glass consisting of a glass with engraved «cannellé» decoration and a smooth glass in a choice of neutral/fumé/bronze
VS04	4 + 4 mm transparent glass composed of two extra-clear tempered glasses with internal metal fabric in a finish chosen from bronze/gold/copper

VS05	4 + 4 mm frosted glass composed of a transparent glass and an extra-clear frosted glass with internal metal fabric in a choice of bronze / gold / copper finish
------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------



DS DSC, DV



VS01,02,03

VS04,05

For doors with a height greater than 250 cm it is mandatory to provide at least 1 horizontal cross-piece H 20 mm.

OPTIONAL ALUMINUM FINISHES:

Door profiles and cover valance:

- PA 02 white matt
- PA 03 black matt
- PA 05 bronze
- PA 06 titanium
- PA 09 corten
- PA 10 dark bronze
- PA 07 white oak
- Matt Ral sample

Sliding rails:


- PA 03 black matt
- PA 05 bronze
- PA 06 titanium
- PA 10 dark bronze

VERSIONI SPECIALI CON TRAVERSINI ORIZZONTALI E VERTICALI:

The crossbars dedicated to the Extralight collection have a section of 20 x 10 mm horizontally and 10 x 8 mm vertically, they are positioned on both sides of the glass. The finish of the crossbars is coordinated with the perimeter profiles of the door. Crossbars are not available for mirror doors. For any custom compositions ask for feasibility and prices to: commerciale@stainoestaino.it.


40.20 VERSION

Horizontal crossbars of 20 mm spaced 40 mm apart. The first and last crossbars are positioned to size according to the height of the door.




20.20 VERSION

Vertical crossbars of 20 mm spaced 20 mm apart. The first and last crossbars are positioned to size according to the width of the door.




FACTORY VERSION

Horizontal crossbars of 20 mm distant from each other 240 mm, the vertical crossbars of 10 mm. In the Factory model, the customer can choose between one or two series of vertical crossbars based on the width of the door. In the Wall model, the positioning of the crossbars is adapted according to the size of the ordered door. In both models, the first and last horizontal crossbars are positioned to measure at the height of the door.




WALL PROFILE FOR AIR REDUCTION:

A 20 x 15 mm section profile can be installed on the wall to reduce the air between the door and the wall.



VERTICAL CLOSING UPRIGHTS :


Optional wall upright 26 x 40 mm, compulsory for matching the hook lock.




Both the upright on the wall and the handle / lock box are made of aluminum coordinated with the door.

OPTIONAL FLOOR WHEEL:

The floor wheel has the purpose of increasing the stability of the door, it must only be used in the presence of smooth floors without joints, such as parquet or resin.





Optional wall upright, includes 10 x 10 mm check profile added to the door



Both the upright against the wall and the striker profile are made of aluminum coordinated with the door.

ACCESSORIES FOR SLIDING DOORS:


The drag kit includes the optional floor wheel.




HINGED EXTRALIGHT

Hinged door with door coplanar with the architraves, available in the pull version and in the push version «Evo».

Plate 80 x 165 mm in satin silver aluminum with mechanical lock for privacy latch. Included on doors with diffuser glasses.




PULL OPENING DETAIL




STANDARD SIZES:

- Empty space c/frame cm 70/80/90 x 215 H
- External frame cm 69/79/89 x 214,5 H
- Opening light cm 64/74/84 x 212 H
- Max. casing dimensions cm 76/86/96 x 218 H
- Max. external casing dimensions cm 76/86/96 x 218 H




«EVO» PUSH OPENING DETAIL



STANDARD SIZES:


- Empty space c/frame cm 70/80/90 x 215 H
- External frame cm 69/79/89 x 214,5 H
- Opening light cm 62/72/82 x 211 H
- Max. casing dimensions cm 77,5/87,5/97,5 x 219 H
- Max. external casing dimensions cm 76/86/96 x 218 H

DIFFUSER GLASSES:



- CR01** Laminated glass 6 mm
- CR05** Laminated clear fumé 6 mm
- CR02** Laminated neutral frosted glass 6 mm
- CR06,07,08** Tempered frosted glass 6 mm fumé/extrawhite/ bronze
- CR10** Tempered transparent fumé reflective glass 6 mm
- DS, DSC** Extrawhite transparent glass 6 mm with sandblasting and decoration

CANNELLÉ GLASSES:




Traversino per ante con vetri cannellè, obbligatorio con altezza superiore a cm250

- VS01** 6mm transparent tempered glass with«cannellè»decoration
- VS02** 4 + 4 mm transparent glass consisting of a glass with engraved «cannellè» decoration and a smooth glass with a choice of neutral/fumé/bronze finish
- VS03** 4 + 4 mm frosted glass consisting of a glass with engraved «cannellè» decoration and a smooth glass in a choice of neutral/fumé/bronze

OPTIONAL ALUMINUM FINISHES:


- **PA 02** white matt
- **PA 03** black matt
- **PA 05** bronze
- **PA 06** titanium
- **PA 09** corten
- **PA 10** dark bronze
- **PA 07** white oak
- **Matt Ral** sample

VARNISHED GLASSES AND MIRRORS:



- SP01, 02, 03** Silver/bronze/fumé mirror 2 sides
- CL01, 02, 03, 04, 05, 06, 07** Varnished glass 2 sides: (bordeaux, orange, extra-white, black, anthracite, silver, beige)
- CL11** Varnished glass Ral samples 2 sides
- CL12** Metallized bronze glass 2 sides
- CL12** Painted extra-clear satin glass 2 sides, white or RAL to sample
- SP05, 09** Nervurè glass or silver-plated Metropoli
- CL09, 10** Ral painted glass as sample on 2 sides

GLASSES WITH INTERNAL METALLIC TISSUE:




- VS04** 4 + 4 mm transparent glass composed of two extra-clear tempered glasses with internal metal fabric in a finish chosen from bronze/gold/ copper
- VS05** 4 + 4 mm frosted glass composed of a transparent glass and an extra-clear frosted glass with internal metal fabric in a choice of bronze / gold / copper finish

SPECIAL VERSIONS WITH HORIZONTAL AND VERTICAL CROSSBARS:

The crossbars dedicated to the Extralight collection have a section of 20 x 10 mm horizontally and 10 x 8 mm vertically, they are positioned on both sides of the glass. The finish of the crossbars is coordinated with the perimeter profiles of the door. Crossbars are not available for. mirror doors. For any custom compositions ask for feasibility and prices to: commerciale@stainoestaino.it.


40.20 VERSION

Horizontal crossbars of 20 mm spaced 40 mm apart. The first and last crossbars are positioned to size according to the height of the door.




20.20 VERSION

Vertical crossbars of 20 mm spaced 20 mm apart. The first and last crossbars are positioned to size according to the width of the door.




FACTORY VERSION

Horizontal crossbars of 20 mm distant from each other 240 mm, the vertical crossbars of 10 mm. In the Factory model, the customer can choose between one or two series of vertical crossbars based on the width of the door. In the Wall model, the positioning of the crossbars is adapted according to the size of the ordered door. In both models, the first and last horizontal crossbars are positioned to measure at the height of the door.




EXTRALIGHT PIVOT


Complete door with flush-to-wall frame in satin silver aluminum for masonry or plasterboard walls, lock with standard magnetic latch for Patent key or privacy latch.



VARIATIONS FOR PIVOT DOORS:






DOOR MADE TO MEASURE



DOUBLE PIVOT DOOR

SOME EXAMPLES OF PIVOT DOORS WITH TWO SYMMETRICAL PANELS:






DATA
SHEETS

handles



REVOLUTION
HANDLE

Revolution handle in billet aluminum, in a finish coordinated with the door profiles.

- solid aluminum handle, without insert
- handle with matt lacquered MDF insert
- handle with insert in glossy or satin washed glass
- privacy latch in satin or glossy chrome



30




RECTANGULAR
HANDLE
MA17

The MA 17 handle is available in all the materials provided for the door. Rectangular 30 x 170 mm H.




ALUMINUM HANDLE MA09




The handles available on this page provide for the elimination of the lock and the assembly of a magnet on the stop.






OPTIONAL HANDLES IN VARIATION:





Pair of aluminum handles H mm 170 **MA17**



- Pair of aluminum handles H 560 mm **MA05**
- Pair of satin stainless steel handles H cm 149 **MA06**
- Pair of handles in stainless steel H 140 cm **MA04**
(Available only on tempered glass)



Handle machined from solid aluminum with integrated lock, includes privacy latch.
It is supplied in a finish coordinated with the perimeter profiles of the door.
The privacy latch is available in satin chrome, polished chrome or lacquered in matt white or black.
Available only on tempered glass.
The use of the wall upright for lock striker is mandatory.



DESIGN FOR GLAZED GLASS

It is possible to print images provided by the customer, subject to verification by our technical department.

➔ see all the decorations, follow the link to the special catalog




DS01
design by
Jacopo Cecchi



DS06



DS11



DS02
design by
Jacopo Cecchi




DS07
design by
Jacopo Cecchi



DS12



DS03
design by
Jacopo Cecchi




DS08




DS13



DS04
design by
Jacopo Cecchi



DS09
design by
Jacopo Cecchi



DS14




DS05



DS10
design by
Jacopo Cecchi



DS15



DSC01



DSC06



DSC11



DSC16



DSC21



DS16



DSC02



DSC07




DSC12



DSC17



DSC22



DS17



DSC03



DSC08



DSC13



DSC18



DSC23



DS18



DSC04




DSC09
design by
Jacopo Cecchi



DSC14



DSC19



DSC24



DSC05



DSC10
design by
Jacopo Cecchi



DSC15



DSC20


DESIGN FOR VARNISHED GLASS

It is possible to print images provided by the customer, subject to verification by our technical department.

→ see all the decorations, follow the link to the special catalog




DV01



DV06



DV11



DV16



DV02



DV07




DV12



DV17



DV03



DV08



DV13



DV18



DV04



DV09



DV14



DV19



DV05



DV10




DV15



DV20


ALUMINUM PROFILES&GLASSES FINISHES




PA01
Glazed silver



PA08
Wenge wood




CR04
Frosted blue



PA02
Matt white
PA03
Matt black



PA09
Corten




CR05
Clear fumé



PA04
Bright brushed silver




PA10
Dark bronze
PA11
Dark copper



CR06
Frosted fumé



PA05
Bronze



CR01
Clear




CR07
Frosted extra claire



PA06
Titanium



CR02
Frosted




CR08
Frosted bronze
CR09
Clear bronze



PA07
White oak



CR03
Milk white




CR10
Reflective fumé


* finish available on sample



VARNISHED GLASSES&MIRRORS FINISHES



CL01
Burgundy red
CL02
Orange




CL13
British grey 7011




SP01
Regular mirror




CL03
Extra white
CL04
Black




CL14
Cappuccino 1019
CL15
Frosted cappuccino 1019




SP02
Bronze mirror




CL05
Anthracite
CL06
Silver




CL16
Green Army 7002
CL17
Frosted green Army 7002



SP03
Fumé mirror



CL07
Beige
CL08
Pink grey 2005




CL18
Miami green 6027
CL19
Frosted Miami green 6027



SP04
Glazed mirror



CL09
Metropoli black
CL10
Nervuré black




CL20
Visone 7006
CL21
Frosted visone 7006




SP05
Nervuré glazed silver



CL11
Metallized bronze
CL12
Varnished frosted extra white



CL22
J.P.Blu
CL23
Frosted J.P.Blu



SP06
Nervuré glazed bronze
SP08
Metropoli glazed bronze

* finish available on sample

STAINO&STAINO SRL Via Danubio, 21/23/25
59100 Prato - Italy | Tel +39 0574 69 39 38
Fax +39 0574 69 43 55

www.stainoestaino.com

amministrazione@stainoestaino.it
commerciale@stainoestaino.it
export@stainoestaino.it